


INSTRUKCJA MONTAŻU ORAZ UŻYTKOWANIA  
WANIEŃ AKRYLOWYCH

ACRYLIC BATHS MOUNTING MANUAL AND  
USER GUIDE



## Informacje ogólne i wskazówki montażowe

Dziękujemy za zakup naszych produktów, które zostały wyprodukowane z zachowaniem najwyższych standardów. Przed instalacją należy sprawdzić produkt pod kontem ewentualnych uszkodzeń, które mogły powstać podczas transportu.

**UWAGA:** gwarancja nie obejmuje uszkodzeń powstałych w transporcie lub podczas instalacji jak i odchyień rozmiaru i płaszczyzn w zakresie 5 mm, które mogą występować z uwagi na specyfikę wyrobów akrylowych.

### WSKAZÓWKI MONTAŻOWE

Narzędzia niezbędne do instalacji:

- poziomica
- klucz francuski

Ze względu na cechy techniczne wanny do montażu powinien zostać użyty odpływ dołączony w komplecie przez producenta. Wanny nie można opierać na boku, ponieważ obciążenie na jedną stronę może spowodować rozwarstwienie powierzchni akrylowej. Po instalacji zapoznaj się z radami dotyczącymi użytkowania, tak aby produkt użytkować przez lata.

- Przed zamontowaniem wanny należy przygotować i sprawdzić doprowadzenie i odpływ wody oraz, czy podłoże na którym ma być ustawiona wanna jest odpowiednio wypoziomowane.





- Wannę należy ostrożnie wyjąć z opakowania transportowego i ustawić na równym miękkim podłożu.

- Należy zwrócić szczególną uwagę by nie uszkodzić dna wanny przez ostre elementy znajdujące się na podłożu. W przypadku wystąpienia nierówności w podłożu należy je zniwelować wkręcając lub wykręcając nóżki wanny.

- Niewłaściwe wypoziomowanie wanny spowoduje nieodpowiedni odpływ wody lub jej zaleganie na dnie wanny.

- Kiedy wanna jest wypoziomowana następnie należy podłączyć odpływ wody zgodnie z zaleceniami producenta.

- Przed zakończeniem instalacji należy przeprowadzić test szczelności wanny.



### CZYSZCZENIE I KONSERWACJA

- Regularne osuszanie i dezynfekcja chroni przed osadzaniem się kamienia i zapobiega namnażaniu bakterii na powierzchni wanny.

- Dla codziennego utrzymywania czystości, należy używać delikatnej ściereczki oraz płynów nie zawierających substancji ściernych, żrących, kwasów oraz rozpuszczalników.

- Nie należy używać szorstkich czyszczy, zdzieraków ani innych przedmiotów, które mogą zarysować powierzchnie wanny.

# General information and assembly instructions


Thank you for purchasing our top quality products. Before installation, please check the product (completeness, correctness and quality). If you will find any transport damage, please call the courier company and our service.

**NOTE:** the warranty excludes delivery and installation damages. Deviations in size and planes till 5 mm comply with the quality standard of acrylic products.


## ASSEMBLY INSTRUCTIONS

The necessary installation tool

- leveling
- wrench key



Due to the technical qualities of the bathtub, we recommend using the manufacturer's drain for installation. The bathtub cannot be leaned on its side, as loading on one side may cause delamination of the acrylic surface. After installation, see the tips for use and maintenance.



- Before mounting the bathtub, prepare and check the water supply and drainage. Floor where bathtub will be placed, must be clean and properly leveled.


- Carefully remove the bathtubs from the packaging and put it on flat soft surface.

- Please pay special attention not to damage the bottom of the bathtub (e.g. by sharp elements on the floor). In the event of unevenness in the floor, they should be leveled by screwing in or unscrewing the bathtub feet.

- Incorrect leveling of the bathtub will cause inadequate drainage of water or its deposition at the bottom of the bathtub.

- After bath is leveled, connect the water drain in accordance with the manufacturer's instructions.

- Before end of installation, a bathtub leak test should be carried out.



## CLEANING AND MAINTENANCE

- Regular cleaning can protect against scaling and prevents bacteria from growing on the bathtub surface.
- For everyday cleaning, use a soft cloth and liquids without any abrasives, caustics, acids and solvents.
- Do not use hard cleaners, scrapers or other objects that could scratch or coat the surface of the bathtub.

Instrukcja montażu maskownicy przelewu  
oraz korka klik-klak do wanien OEM

Instruction Installation instructions for an overflow mask  
and a click-clack plug for OEM bathtubs

